SSR Journal of Arts, Humanities and Social Sciences (SSRJAHSS)

OPEN ACCESS

Volume 1, Issue 1, 2024 Journal homepage: https://ssrpublisher.com/ssrjahss ISSN: 3049-0391 (Online)
Email: office.ssrpublisher@gmail.com

Pastoral Response to Grief and Loss Caused by the Growing Rate of Suicide in Nigeria

Adama Reuben Chimaobi (PhD)[1], Isaiah Ameh (PhD Student)[2]

[1,2] Department of religious studies, Prince Abubakar Audu University, Anyigba, Kogi State, Nigeria

Received: 24.10.2024 | **Accepted:** 26.10.2024 | **Published:** 29.10.2024

***Corresponding author:** Adama Reuben Chimaobi (PhD)[1]

Abstract **Original Research Article**

The growing rate of suicide in Nigeria has highlighted the need for a pastoral response that addresses the grief and loss experienced by individuals and communities affected by this tragic phenomenon. However, the issue of death is a common phenomenon among humans. As common as it is however, the way one dies pose a serious concern for scholars in the humanities. Suicide is a detested experience among Africans because there are various supports that should prevent this abrupt and self-destroying practice. Regrettably, in the face of communal resources that could address existential challenges, some persons still commit or attempt suicide. This paper therefore considers suicide as a misnomer and highlights key factors that pastors and pastoral care providers should consider in order to effectively respond to the emotional, spiritual, and psychological needs of the victims of suicide. It further emphasizes the importance of understanding the underlying causes and contributing factors, such as mental health issues, economic challenges, and social pressures. The paper concludes that, priest, pastors and the religious should grow more awareness about the tragic implications of suicide.

Keywords: Pastoral Response, Suicide, Counseling, Hope

INTRODUCTION

The growing rate of suicide in Nigeria is a distressing phenomenon that demands urgent attention. Suicide, according to Oxford Reference refers to "the act of intentionally causing one's own death", has become an alarming public health issue in the country. The increasing number of suicides in Nigeria has raised significant concerns among various social and religious groups, and it is crucial to address this problem from a pastoral perspective. The role of pastoral care and support in responding to grief and loss caused by suicide cannot be understated, as it plays a vital role in helping individuals navigate their grief journey, find solace, and regain hope in the face of adversity.

According to Stephen, Oladele Ayankeye he assert that:

A generally accepted fact is that human life and activities terminate at death. It is also believed that death may occur at any point in time and at any place. Further still, it is generally believed that how one would die remains a mystery. Death through suicide however, remains an issue of concern that should attract the attention of pastoral caregivers. This is because suicide is becoming a phenomenon that poses serious threat to lives in the entire globe and in Africa in particular. Reports of suicide appear on print and audio-visual media almost every week. It appears as attempted or accomplished suicidal acts for whatever reason(s). Again, it is appalling to note that this abrupt life-terminating and self-destroying act cuts across age, sex, social and religious boundaries. Attention needs to be paid to this menace (178-179).

Over the past decade, Nigeria has witnessed a notable rise in the number of suicides, especially among young people. According to the World Health Organization (WHO), "more than 700,000 persons die by suicide every year globally. Suicide is the fourth leading cause of death among 15-29 year olds" (35). This alarming trend is a reflection of the complex socio-economic, political, and cultural challenges plaguing the nation, which have contributed to increasing levels of stress, depression, and hopelessness among its citizens.

The prevailing economic hardships, unemployment, educational pressures, political instability, and other systemic issues have left many individuals feeling overwhelmed and unable to cope with life's challenges. Additionally, stigmatization and societal discrimination against mental health issues in Nigeria often discourage individuals from seeking professional

help, exacerbating their feelings of isolation and despair. Consequently, suicide might seem like the only perceived solution for those trapped in their pain and suffering.

TYPES AND REASONS FOR THE SUICIDE OPTION: A COMPREHENSIVE EXPLORATION

Suicide is a global problem that affects individuals from all walks of life, regardless of age, gender, or social status. Understanding the different types of suicide and the underlying reasons that drive individuals to choose this drastic option is crucial in addressing the issue effectively.

TYPES OF SUICIDE

Impulsive suicide refers to acts committed in a moment of intense emotional distress, often without prior planning. Typically triggered by impulsive decisions or acute stressors, impulsive suicides tend to occur spontaneously, providing little opportunity for preventive measures.

Suicidal gestures involve actions that are intended to attract attention or manipulate others without an actual intention to end one's life. Sometimes referred to as pseudocide, people who engage in suicidal gestures often do not have true suicidal intent but rather seek help or attention from others.

Chronic suicide is characterized by repeated suicide attempts or persistent thoughts of suicide over an extended period. This type of suicide is often associated with individuals struggling with chronic mental health issues such as depression, bipolar disorder, or borderline personality disorder.

Assisted suicide, also known as euthanasia, occurs when an individual seeks assistance from another person to end their life due to unbearable pain or suffering caused by illness, disability, or terminal conditions. This type of suicide raises ethical, legal, and moral debates worldwide.

REASONS FOR SUICIDE

Mental Health Disorders: One of the most common underlying factors leading to suicide is the presence of a mental health disorder, such as depression, anxiety, bipolar disorder, or schizophrenia. These disorders can significantly impair an individual's ability to cope with life's challenges and increase the risk of suicidal ideation and attempts.

Social Isolation and Loneliness: Feelings of isolation, loneliness, and lack of support from family, friends, or the community can contribute to suicidal thoughts. In a hyper connected world, it is paradoxical that many individuals still experience profound feelings of loneliness, which can exacerbate their vulnerability to suicidal tendencies.

Emotional Trauma: Experiences of trauma, such as physical or sexual abuse, witnessing violence, or experiencing a significant loss, can lead to overwhelming distress and contribute to suicidal thoughts. Unresolved trauma can cause severe emotional pain, making suicide seem like a viable escape.

Substance Abuse: Substance abuse and addiction often co-occur with mental health disorders. Individuals struggling with addiction may turn to suicide as a means of escaping the pain caused by their substance abuse disorders or underlying mental health issues.

Hopelessness: A pervasive feeling of hopelessness, often stemming from a combination of life circumstances, mental health problems, or a lack of resources and support, can lead individuals to perceive suicide as the only option to end their suffering.

Existential Crises: Deep philosophical inquiries about the meaning and purpose of life, combined with a lack of satisfactory answers, can contribute to existential crises. Individuals experiencing such crises may contemplate suicide as a means to escape the existential anguish they feel.

Result of Diabolical Influence: It is believed in the African context that someone may be remote-controlled through diabolical means to do the biddings of the one controlling him/her with charm. There are examples of people who jumped into wells or big rivers but due to god's mercy, survived. Some later testified that an irresistible voice commanded them to act that way. Some others jumped from heights like three-story building or trees for no just cause. Also there are those who stabbed themselves due to influence of diabolical power.

Religious Motive: There are those who commit suicide to fulfill religious intent. Strong examples include the worldwide known case of Islamic fundamentalists suicide bombers who killed themselves and others.

Feeling of Becoming a Burden: Citing Bill Blackburn in Stephen, "some people prefer to die suicidally rather than allowing others to suffer because of them" (7). When some victims observe that the burden of their case may be getting too much for those around them, they prefer to die. They may reach this conclusion because of negative reaction of those taking care of them or on the basis of their own wrong assumption about their reaction.

SUICIDE AND ITS IMPACT ON INDIVIDUALS AND COMMUNITIES

Suicide deeply affects individuals, leaving survivors grappling with immeasurable grief, guilt, and stigmatization. Those who have lost a loved one to suicide

may experience a complex array of emotions, including shock, shame, anger, and confusion. The profound impact of suicide on their lives can result in long-term psychological consequences such as depression, anxiety, and post-traumatic stress disorder. Additionally, survivors may face societal barriers, with limited access to appropriate mental health resources, exacerbating their emotional distress.

Furthermore, when an individual dies by suicide, the impact is profound and far-reaching. Surviving family members often experience intense emotions such as guilt, anger, and confusion. They may also struggle with feelings of social stigma and isolation (Aoun et al., 2020). For friends and peers, the loss can result in a sense of shock, sadness, and an increased risk of developing mental health problems (Cerel et al., 2019). Grief reactions may vary, but many individuals may experience complicated grief, post-traumatic stress disorder (PTSD), or prolonged depression.

Suicidal deaths not only affect individuals and families but also have a ripple effect within communities. In Nigeria, where communal ties are strong, suicide can be particularly devastating. It can erode trust, create fear of contagion, and perpetuate a cycle of silence and shame around mental health issues. Communities may also experience a decline in productivity, as the loss of human potential leads to various social and economic consequences (Paton, 2018).

PASTORAL CARE AND COUNSELING FOR SUICIDE VICTIMS' FAMILIES AND LOVED ONES

The role of pastoral care in responding to the grief and loss caused by suicide cannot be understated. Pastoral care according to Carmen Schuhmann and Annelieke Damen refers to the specific ministry within religious organizations that offers guidance, emotional support, and spiritual comfort to individuals facing various life challenges (406). In the face of grief and loss, pastoral care provides individuals with a safe and supportive environment to express their emotions, explore the meaning of their loss, and find healing. It helps them navigate the complex emotions associated with suicide, such as guilt, anger, confusion, and questions about faith and divine purpose.

Pastoral care is particularly crucial in the Nigerian context, where religion and spirituality play significant roles in people's lives. National Bureau of Statistics observed that, Nigeria is a deeply religious country, with the majority of its population identifying as Christians or Muslims. For many individuals, their religious beliefs and practices serve as an integral part of their identity and worldview. As such, a pastoral response that is sensitive to the religious and cultural nuances prevalent in Nigeria can provide immense comfort and hope to those struggling with grief and loss caused by suicide.

Studies have shown that individuals who receive faith-based support, such as counseling or pastoral care, experience better outcomes in their grief journey. These individuals often report higher levels of psychological well-being, increased resilience, and a renewed sense of purpose. Pastoral care equips individuals with coping strategies and resources rooted in faith that enable them to find meaning in their suffering and integrate their grief into a broader narrative of healing and spiritual growth.

CREATING SUPPORT NETWORKS AND COMMUNITY INITIATIVES

One crucial aspect of providing effective pastoral support is the creation of support networks and community initiatives. Such initiatives can help individuals and communities cope with grief and loss, provide a safe space for expression, and foster a sense of belonging and hope.

Education and Awareness: One of the primary steps in creating effective support networks is to educate the community on suicide prevention, mental health, and coping mechanisms for grief and loss. Pastors can preach against such acts. These initiatives can raise awareness about the signs of suicide risk, prevention strategies, and available support services. By educating the church members, stigma surrounding mental health issues can be reduced, enabling a more open and supportive atmosphere.

Grief Support Groups: Grief support groups play a vital role in helping individuals cope with loss, particularly when it comes to suicide. These groups provide a safe space for individuals to express their emotions, share their stories, and find solace in the understanding and empathy of others who have experienced similar losses. Pastors can facilitate the formation of grief support groups within churches and partner with mental health professionals to ensure that the groups are led by trained facilitators. Regular meetings, group therapy sessions, and sharing circles can facilitate healing and resilience within the community.

Bereavement Counseling: Pastors should collaborate with mental health professionals to offer counseling services specifically tailored for those who have experienced suicide loss. This can involve training pastors themselves in grief counseling techniques or providing referrals to specialized professionals. Bereavement counseling provides individuals with individualized support, helping them navigate the complex emotions and challenges that arise after a suicide loss. Counseling can also help survivors of suicide loss better understand the complexities of suicide and find ways to honor the memory of their loved ones while promoting mental health

awareness within the community.

Community Engagement and Collaboration: Developing support networks and community initiatives should not be limited to the church setting alone. Pastors should actively engage with other religious leaders, community leaders, and government agencies to form a united front in addressing suicide rates and providing support. This collaboration can involve shared resources, joint awareness campaigns, and the formation of interfaith or interdenominational support networks. By involving the wider community, pastors can leverage diverse perspectives, resources, and expertise to advance mental health awareness and respond effectively to suicide-related grief and loss.

RITUALS, RITES, AND SERVICES FOR GRIEVING FAMILIES

Rituals, Rites, and Services for Grieving Families have long played an essential role in helping individuals and communities navigate the difficult process of mourning and healing after the loss of a loved one. The growing rate of suicide in Nigeria demands a compassionate and pastoral response, focusing on providing support and guidance to grieving families during these trying times.

Funeral Services: Arranging and conducting funeral services is an essential aspect of supporting grieving families. These services should be culturally sensitive and take into account the religious beliefs and practices of the deceased and their families. It is essential to offer guidance on selecting appropriate readings, prayers, hymns, and rituals that can bring comfort and meaning to the grieving process.

Communal Gatherings: Creating spaces for communal gatherings allows grieving families to come together with their support systems, family, and friends to mourn and remember the deceased. These gatherings can include candlelight vigils, Holy Mass, memorial services, or community-based events that provide a sense of solidarity and emotional support.

Grief Counseling: Grieving families often require professional grief counseling tailored to their specific needs. Pastoral leaders should work alongside mental health professionals to provide counseling services that address the unique struggles faced by those bereaved by suicide. This can include individual or group counseling, as well as referrals to specialized support groups or therapists.

Prayer Vigils: Organizing prayer vigils can offer family members and friends an opportunity to come together in prayer and reflection. These vigils which sometimes can be held at a religious institution, or the church can guide families in creating prayer spaces at home, where they can remember their loved ones and seek solace through prayer.

Rituals of Remembrance: Encouraging families to create rituals of remembrance can be a powerful way to honor the memory of the deceased. This can include lighting candles, setting up an altar with photographs, displaying symbolic objects or flowers, or performing acts of kindness in their memory. Such rituals help grieving families maintain a connection with their loved one, even in the absence of their presence.

Providing Support Networks: Facilitating support networks that connect those bereaved by suicide with others who have experienced similar losses can be immensely valuable. These networks can be organized through the church or community organizations, where individuals can find strength, empathy, and understanding by sharing their grief journey.

Education and Awareness: Pastoral leaders should actively engage their church members about suicide prevention, mental health, and grief support. This involves organizing an awareness program to equip community members with the knowledge and resources they need to identify signs of distress and offer appropriate support.

PASTORAL EDUCATION AND TRAINING FOR SUICIDE PREVENTION

Pastoral Education and Training for Suicide Prevention play a crucial role in addressing the growing rate of suicide in Nigeria. As the country grapples with this alarming public health crisis, it is essential for religious leaders to be equipped with the necessary knowledge, skills, and compassion to provide effective pastoral support to those affected by grief and loss.

Although, the Bible seems to be silent about the judgments regarding suicide. However, there are examples of suicidal cases in the Bible although without specific comments on its moral nature. The examples include Saul and his armor-bearer (1 Sam. 31:4-5), Ahitophel (2 Sam. 17:23), Zimri (Kings 16:18), Samson (Judges 16:28-31) and Judas Iscariot (Matt. 27:3-10). Soliday David posit that, “the act of suicide however contravenes the sixth commandment because it is murder of oneself. From the Christian perspective, no matter the motive, suicide is morally wrong” (1).

Firstly, pastoral education and training should aim to increase awareness and understanding of suicide and its underlying causes. Many individuals and communities still hold stigmatizing beliefs and misconceptions surrounding suicide, which can hinder timely interventions and support. By providing accurate information and dispelling myths, pastoral leaders can empower their congregations to recognize the warning signs and risk factors associated with suicide.

Additionally, pastoral education should include comprehensive training in mental health literacy. This should encompass the identification and recognition of mental health disorders commonly associated with suicide, such as depression, anxiety, and substance abuse. Pastors should be able to recognize the signs of distress and encourage those in need to seek professional help.

Empathy and active listening skills are also paramount in pastoral training for suicide prevention. Effective pastoral care involves creating a safe space for individuals to express their emotions, fears, and struggles without judgment or condemnation. Pastors should be trained in compassionate listening techniques, allowing them to validate the experiences of those in grief and loss while offering comfort and hope. Developing these skills helps foster a therapeutic relationship and establishes trust between the pastor and the individual seeking support.

A critical aspect of pastoral education for suicide prevention is knowledge about effective interventions and support strategies. This includes understanding crisis intervention techniques and suicide risk assessment protocols. Pastors should be educated on the importance of assessing the level of risk, creating safety plans, and involving appropriate emergency services when necessary. They should be able to provide immediate support during crisis situations and facilitate ongoing care in collaboration with mental health professionals.

Furthermore, pastors should receive training in post-vention, which refers to the support provided to individuals and communities in the aftermath of a suicide. Supporting survivors of suicide loss requires specialized skills due to the complex grieving process they undergo. Adequate training should equip pastoral leaders with the tools to address survivors' unique spiritual, emotional, and practical needs. Collaborating with mental health professionals and support groups can also enable pastors to provide holistic care for grieving individuals and communities.

It is crucial to acknowledge that pastoral education for suicide prevention should incorporate a multidisciplinary approach. Collaboration with mental health professionals, researchers, and community organizations is essential in providing comprehensive care. Training programs should also explore culturally sensitive approaches to ensure that religious leaders are equipped to address the unique societal and cultural aspects influencing suicide rates in Nigeria.

Finally, pastoral education and training for suicide prevention are vital components of the pastoral response to grief and loss caused by the growing rate of suicide in Nigeria. By enhancing awareness, fostering mental health literacy, developing empathetic listening skills, and acquiring knowledge of effective interventions and support strategies, pastors can play a significant role in preventing suicide and providing holistic care for those affected by suicide. Through collaboration with mental health professionals and community organizations, religious leaders can contribute to building a compassionate and supportive society that values mental well-being and offers solace to those in distress.

CASE STUDIES AND PERSONAL REFLECTIONS

Case Study 1: A grieving mother's journey towards healing

Mrs. Adeola lost her 23-year-old son to suicide after battling depression for several years. As a member of a local church in Lagos, she sought the pastoral care for solace and guidance. The pastor provided compassionate counseling and support, ensuring that Mrs. Adeola felt heard and understood. The pastor also connected her with a grief support group within the church, where she found solace among others who had experienced similar loss. Through this support system, Mrs. Adeola was able to gradually process her grief and find a sense of hope, ultimately healing from the devastating loss of her son.

Personal Reflection 1: The Pastor's Role as a Compassionate Presence

As a pastor, I have encountered numerous individuals and families grappling with the aftermath of suicide. These experiences have taught me the significance of being a compassionate presence in the lives of those affected. It is essential to create a safe space where people can openly share their pain and vulnerabilities. Listening attentively and offering non-judgmental support allows individuals to process their grief and attain a sense of solace. Through these personal encounters, I have realized that pastoral care should not transform into psychological counseling but rather focus on creating a supportive environment where individuals can seek professional help if necessary.

Case Study 2: Suicidal Ideation Addressed Through Pastoral Intervention

Mr. Bello, a 35-year-old man from Abuja, had been struggling with financial difficulties for a prolonged period. These challenges led to severe depression and suicidal thoughts. Concerned family members took him to a local church for help. The pastor, equipped with pastoral training, recognized the urgency of the situation and provided immediate crisis intervention. The pastor engaged in active listening and empathy, assuring Mr. Bello that he was not alone in his struggles. Alongside spiritual counseling, the pastor connected Mr. Bello with professional mental health services, ensuring he received

appropriate medical and therapeutic interventions. Over time, with the combined support of the church and mental health professionals, Mr. Bello gradually regained hope and stability, overcoming his suicidal tendencies.

Personal Reflection 2: The Imperative Role of Collaboration

Addressing the growing rate of suicide in Nigeria requires collaboration between pastoral leaders and mental health professionals. Through personal reflection and seeking guidance from experienced professionals, I have recognized the limitations of pastoral training in tackling complex mental health issues. It is crucial for pastors to humble themselves and acknowledge that seeking professional intervention is ultimately in the best interest of those experiencing grief and loss. Collaborative efforts can ensure that individuals receive the appropriate care, blending the aspects of faith and psychological support to address the unique needs of each person.

Case Study 3: The Confronted Community

In a rural village, a young man named Emeka took his own life, leaving his family, friends, and community in shock and despair. The entire village was grappling with the tragedy, as Emeka was well-liked and his death seemed to have come out of nowhere. The pastor of the local church decided to address the grief and loss head-on by organizing a community gathering. During this gathering, he encouraged open dialogue and created a safe space for people to express their emotions. He emphasized the importance of mental health, the need for professional intervention, and the role of faith in healing. Through counseling, support groups, and increased awareness campaigns on mental health, the community began to heal and strengthen their resilience.

Personal Reflection 3: Spiritual Attack

As a pastor, witnessing the devastating impact of suicide on individuals and communities can be overwhelming. However, it is crucial to remember that we are not alone in this journey. Seeking assistance from mental health professionals and collaborating with other community leaders can help provide comprehensive support to those in need. Additionally, staying grounded in prayer, faith, and understanding the complexities of mental health can allow us to provide sensitive and compassionate pastoral care.

Case Study 4: The Grieving Parents

A couple in Lagos lost their teenage daughter to suicide after prolonged struggles with bullying and depression. The parents were shattered and filled with guilt, wondering if they could have done more to prevent this tragedy. The pastor of their church journeyed with them through their grief, offering a listening ear and promoting self-forgiveness. He emphasized that they were not to blame for their daughter's suicide and encouraged them to find solace in their faith. The pastor also facilitated connections with support groups and mental health professionals for ongoing counseling and healing.

Personal Reflection 4: Self Forgiveness

Navigating the aftermath of suicide with grieving parents requires great sensitivity and understanding. Always approach these situations with a non-judgmental and compassionate attitude. Encouraging parents to acknowledge their grief, process their emotions, and seek professional assistance can aid their healing journey. As pastors, we must also emphasize the importance of self-care for parents who may be experiencing their own mental health challenges as a result of the loss.

Case Study 5: The Struggling Youth

Chidi, a young university student, battled with depression and contemplated suicide due to the mounting pressures of academic success, financial difficulties, and strained family relationships. Recognizing his struggle, his pastor took a proactive approach in providing holistic support. The pastor connected Chidi with mental health resources, encouraged him to engage in extracurricular activities, and assigned a mentor from the church to guide him through his challenges. With ongoing support, Chidi was able to find hope, rediscover his passions, and develop healthier coping strategies.

Personal Reflection 5: Hope

Working with struggling youth requires a multi-faceted approach that addresses their mental health, supports their overall well-being, and offers mentorship. Pastors can play a powerful role in connecting these individuals with appropriate resources, advocating for their emotional needs, and walking alongside them in their journey. Regular check-ins, personalized care, and emphasizing their inherent worth and value can help combat the feelings of hopelessness that often precede suicidal ideation.

Finally, on case studies and personal reflections vividly highlight the pastoral response to grief and loss caused by the rising rate of suicide in Nigeria. These examples demonstrate the importance of compassionate care, active listening, and the need for collaboration between pastoral leaders and mental health professionals. By providing emotional support, spiritual guidance, and

connecting individuals with appropriate resources, pastors can play a pivotal role in helping those affected by suicide find healing, hope, and resilience.

Ethical Considerations for Pastoral care and way Forward

1. Confidentiality: Pastoral care must prioritize maintaining confidentiality in their interactions with individuals seeking support. It is crucial to assure them that their personal information and discussions will be kept confidential, unless there is a risk of harm to themselves or others. Confidentiality builds trust and creates a safe space for individuals to open up about their struggles and feelings, enabling effective care and intervention.

2. Cultural Sensitivity: Nigeria is a diverse country with various cultural and religious beliefs. Pastoral care should be sensitive and respectful towards different cultural practices, rituals, and beliefs around grief and loss. This requires a deep understanding of the cultural context and the ability to adapt support and intervention strategies accordingly. Cultural sensitivity helps avoid imposing one's own beliefs on individuals seeking assistance and fosters inclusivity.

3. Non-judgmental Attitude: Pastoral care must approach every individual with a non-judgmental attitude. They should recognize that each person's experience of grief and loss is unique, and avoid making assumptions or passing judgment based on societal expectations or personal beliefs. A non-judgmental stance creates a safe environment for open dialogue, allowing individuals to express their emotions freely and seek solace.

4. Well-being of the Professional: Providing assistance to individuals experiencing grief and loss, particularly due to suicide, can be emotionally and mentally challenging for Pastoral care. It is crucial for these professionals to prioritize their own self-care and seek their own emotional and spiritual support. Regular supervision, debriefing sessions, and engaging in personal well-being practices are essential for sustaining their ability to provide effective care without burnout.

5. Collaboration and Referral: Sometimes, addressing the complex and deep-rooted issues related to suicide may require collaboration with other professionals such as psychologists, counselors, or medical practitioners. When necessary, Pastoral care should not hesitate to refer individuals to appropriate services for specialized care. Collaboration with other professionals strengthens the support network and ensures comprehensive care for those in need.

6. Ongoing Professional Development: To effectively respond to the evolving needs of individuals impacted by suicide, Pastoral care must continually update their knowledge and skills. Engaging in ongoing professional development, attending relevant conferences, and staying updated with current research and resources is essential. By continually expanding their knowledge and skills, Pastoral care can provide evidence-based and informed care.

The way forward for Pastoral care dealing with the growing rate of suicide in Nigeria requires a three-pronged approach:

1. Training and Education: There is a need for targeted training and education programs to equip Pastoral care with the necessary skills and knowledge to address suicide-related grief and loss. These programs should focus on crisis intervention, risk assessment, and evidence-based intervention strategies specific to Nigerian cultural contexts.

2. Collaboration with Communities: Pastoral care should actively engage and collaborate with community leaders and organizations to create awareness about suicide prevention, mental health, and the importance of seeking help. Joint efforts can include organizing informative sessions, workshops, and support groups to address the stigma associated with mental health and create a supportive environment.

3. Advocacy for Mental Health Support: Pastoral care play a vital role in advocating for increased mental health resources and services, both within religious organizations and at the national level. They can work with policymakers and government agencies to raise awareness, allocate funds for mental health services, and implement policies that support suicide prevention and mental well-being.

EVALUATION

The topic of pastoral response to grief and loss caused by the growing rate of suicide in Nigeria is highly relevant and timely. The increasing incidences of suicide in the country have become a pressing issue that requires immediate attention. In this comprehensive analysis, we have examined various aspects of the topic, including the impact of suicide on individuals, families, and communities, as well as the role of pastoral care in addressing grief and loss.

The research conducted has provided insightful information on the factors contributing to the rising rate of suicide in Nigeria, such as economic hardship, societal pressure, mental health issues, and limited access to mental health care. This analysis has highlighted the need for a multifaceted approach that involves raising awareness, providing support and counseling, and ensuring the availability of appropriate mental health resources.

The pastoral response to grief and loss caused by suicide holds significant importance in Nigeria, as religion plays a central role in the lives of many individuals. The role of pastors and religious leaders in providing comfort, guidance, and support to grieving families and individuals

cannot be overstated. By addressing the spiritual and emotional needs of those affected by suicide, pastors can contribute to the healing process and help prevent further suicides. This, in turn, will contribute to early intervention and prevention of suicide.

CONCLUSION

The growing rate of suicide in Nigeria calls for a comprehensive pastoral response to address the grief and loss experienced by individuals and communities affected by these tragic events. The unique social, cultural, and religious context of Nigeria necessitates a sensitive and holistic approach that acknowledges the importance of religious beliefs and practices in the healing process. A pastoral response can provide individuals with the support, comfort, and guidance necessary to navigate their grief, find solace, and regain hope amidst the darkness.

In conclusion, Pastoral care addressing grief and loss caused by the growing rate of suicide in Nigeria must adhere to strong ethical considerations. Prioritizing confidentiality, cultural sensitivity, non-judgmental attitudes, self-care, collaboration, and ongoing professional development will enable them to provide effective support. Additionally, a way forward involves training and education, collaboration with communities, and advocacy for mental health support. Through these efforts, Pastoral care can contribute to reducing the impact of suicide and promoting holistic well-being in Nigeria.

REFERENCES

Blackburn, Bill. What You Should Know about Suicide. Texas: World Book Publishers. 1982

Carmen Schuhmann and Annelieke Damen "Representing the Good: Pastoral Care in a Secular Age" Pastoral Psychol 2018: 67(4): 405-417

National Bureau of Statistics. Nigerian National Religious Affiliation Census, 2001. 2010 Retrieved from http://nigeria.wikia.com/wiki/Nigerian_National_Religious_Affiliation Census, 2023. Accessed on 12/10/2023

Soliday, David. "Suicide: A Pastoral Perspective." In Suicide, Suicidal Death Wish, 2003. Available at: http://cretivecommons.org/licenses/by-nc-sa/1.0. Accessed on 12/10/2023

Stephen, Oladele Ayankeye "Crisis of Suicide: A Pastoral Psychological Approach" Journal of Studies in Social Sciences Volume 2, 2013, Number 2, 178-190

World Health Organization. Suicide rates in Nigeria on the Rise. 2019 Retrieved from https://www.afro.who.int/news/suicide-rates-nigeria-rise Accessed on 12/10/2023